PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference MA2 03043PCT		FOR FURTHER A	ACTION	See Form PCT/IPEA/416			
Internatio	onal application No.	International filing d	ate (daymonth/year)	Priority date (day/month/year)			
PCT/FR2004/001429				13.06.2003			
				13:00:2003			
	International Patent Classification (IPC) or national classification and IPC						
	Applicant SAINT-GOBAIN GLASS FRANCE						
	 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 						
l	This REPORT consists of			g this cover sheet.			
3.	This report is also accomp	anied by ANNEXES, comprising	:	•			
	a. (sent to the app	plicant and to the International Bi	ureau) a total of	sheets, as follows:			
	sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).						
	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental						
	Box. b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s))						
				containing a converse listing and/or tables			
ŧ	, containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).						
4.	This report contains indica	tions relating to the following ite	ms:				
	Box No. I	Basis of the report					
	Box No. II	Priority					
	Box No. III	Non-establishment of opinion with	n regard to novelty, inventi	ive step and industrial applicability			
	Box No. IV I	ack of unity of invention					
	Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement						
	Box No. VI Certain documents cited						
	Box No. VII Certain defects in the international application						
Box No. VIII Certain observations on the international application							
Date of su	ubmission of the demand		Date of completion of this report				
Name and mailing address of the IPEA/EP			Authorized officer				
Facsimile No.			Telephone No.	Felephone No.			

Translation

International application No.

PCT/FR2004/001429

Box	No. I	Basis of the report				
1.		n regard to the language, this report is based on the internation ated under this item.	al application in the language in which it was filed, unless otherwise			
		This report is based on translations from the original language into the following language which is the language of a translation furnished for the purposes of: international search (Rule 12.3 and 23.1(b)) publication of the international application (Rule 12.4) international preliminary examination (Rule 55.2 and/or 55.3)				
2.	recei		eport is based on (replacement sheets which have been furnished to the referred to in this report as "originally filed" and are not annexed to an are not annexed to a soriginally filed/furnished			
		pages*	received by this Authority on			
		pages*	received by this Authority on			
	\boxtimes	the claims:				
		nos. 1–14	as originally filed/furnished			
		nos.*				
			received by this Authority on			
		nos.*	received by this Authority on			
	X	the drawings:				
		sheets 1/2-2/2	as and rivelled (form is had			
			as originally filed/furnished			
		sheets*				
		a sequence listing and/or any related table(s) - see Suppleme	ntal Box Relating to Sequence Listing.			
3.	Ш	The amendments have resulted in the cancellation of:				
		the description, pages				
		the claims, nos.				
		the drawings, sheets/figs				
		the sequence listing (specify):				
		any table(s) related to sequence listing (specify):				
4.		This report has been established as if (some of) the amenda they have been considered to go beyond the disclosure as file	ments annexed to this report and listed below had not been made, since ed, as indicated in the Supplemental Box (Rule 70.2(c)).			
		the description, pages				
		the claims, nos.				
		the drawings, sheets/figs				
	the sequence listing (specify):					
		any table(s) related to sequence listing (specify):				
*	If ite	m 4 applies, some or all of those sheets may be marked "supe	rseded."			

International application No.
PCT/FR2004/001429

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement				
1.	Statement			
	Novelty (N)	Claims	2-5, 9, 12	YES
		Claims	1, 6-8, 10-11, 13, 14	NO
	Inventive step (IS)	Claims		YES
		Claims	1-14	NO
	Industrial applicability (IA)	Claims	1-14	YES
		Claims		_ NO
				_

- 2. Citations and explanations (Rule 70.7)
 - 1. Reference is made to the following document:
 - D1: EP-A-1 196 018 (HASEGAWA CHEM IND; NISSHIN SPINNING (JP))
 - 2. The application fails to comply with the requirements of PCT Article 6, since claim 1 is unclear.
 - 2.1 Claim 1 has been drafted to cover four embodiments of the invention, but the repeated use of the conjunction "or" and alternative terms renders the subject matter of claim 1 unclear. It is difficult to determine the subject matter for which protection is sought.
 - 2.2 The wording of claim 1 may nevertheless be broken down into four separate statements covering each embodiment.
 - 2.21 First statement (illustrated by figure 2)

An electromagnetic shielding structure comprising:

- a first transparent substrate (20);
- a conductive element (30) deposited on a transparent supporting sheet (31) made of plastic;
- a transparent bonding sheet (22) made of plastic, which ensures that the conductive element (30) is attached to the substrate (20) by joining the supporting sheet (31) to the bonding sheet (22) on the conductive element side;
- an additional transparent sheet (23), which is attached to the surface of the supporting sheet (31) opposite the one to

International application No.
PCT/FR2004/001429

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

which the bonding sheet (22) is attached;

- electrical connecting means (40) intended to be connected to the conductive element (30) for grounding the latter; which structure is characterised in that:
- on at least one of its sides, the bonding sheet (22) is set back towards the inside of the structure relative to the corresponding free edge of the transparent substrate (20), thereby leaving an exposed portion (32) on at least one of the surfaces (30a, 30b) of the conductive element;
- the connecting means (40) are brought into contact with and/or connected to said exposed portion (32).
- 2.22 <u>Second statement</u> (illustrated by figures 3a, 3b)
 An electromagnetic shielding structure comprising:
- a first transparent substrate (20);
- a conductive element (30) deposited on a transparent supporting sheet (31) made of plastic;
- a transparent bonding sheet (22) made of plastic, which ensures that the conductive element (30) is attached to the substrate (20) by joining the supporting sheet (31) to the bonding sheet (22);
- an additional transparent sheet (23), which is attached to the surface of the supporting sheet (31) opposite the one to which the bonding sheet (22) is attached;
- electrical connecting means (40) intended to be connected to the conductive element (30) for grounding the latter; which structure is characterised in that:
- on at least one of their sides, the supporting sheet (31) and the additional sheet (23) are set back towards the inside of the structure relative to the corresponding free edge of the transparent substrate (20), thereby leaving an exposed portion (32) on at least one of the surfaces (30a, 30b) of the conductive element;
- the connecting means (40) are brought into contact with and/or connected to said exposed portion (32).

PCT/FR2004/001429

Box No. V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

2.23 Third statement (illustrated by figures 4a, 4b)

An electromagnetic shielding structure comprising:

- a first transparent substrate (20);
- a conductive element (30) deposited on a transparent supporting sheet (31) made of plastic;
- a transparent bonding sheet (22) made of plastic, which ensures that the conductive element (30) is attached to the substrate (20) by joining the supporting sheet (31) to the side of the bonding sheet (22) opposite the conductive element;
- a transparent covering sheet (24), which is attached to the surface of the supporting sheet (31) opposite the one to which the bonding sheet (22) is attached and on the conductive element side;
- electrical connecting means (40) intended to be connected to the conductive element (30) for grounding the latter; which structure is characterised in that:
- on at least one of its sides, the covering sheet (24) is set back towards the inside of the structure relative to the corresponding free edge of the transparent substrate (20), thereby leaving an exposed portion (32) on at least one of the surfaces (30a, 30b) of the conductive element;
- the connecting means (40) are brought into contact with and/or connected to said exposed portion (32).

2.24 Fourth statement (illustrated by figure 5)

An electromagnetic shielding structure comprising:

- a first transparent substrate (20);
- a conductive element (30) deposited on the first substrate
 (20);
- a transparent bonding sheet (22) made of plastic, which covers the conductive element (30);
- a transparent covering sheet (24), which is associated with the bonding sheet (22);

International application No.
PCT/FR2004/001429

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

- electrical connecting means (40) intended to be connected to the conductive element (30) for grounding the latter; which structure is characterised in that:
- on at least one of its sides, the bonding sheet (22) is set back towards the inside of the structure relative to the corresponding free edge of the transparent substrate (20), thereby leaving an exposed portion (32) on at least one of the surfaces (30a, 30b) of the conductive element, the connecting means (40) being brought into contact with and/or connected to said exposed portion (32).
- 2.3 It appears appropriate that an amended set of claims be filed defining the relevant subject matter in a plurality of independent claims one for each embodiment, as above followed by dependent claims covering the optional features.
- 3. Furthermore, irrespective of the above-mentioned lack of clarity, the subject matter of claims 1, 6, 7, 8, 10, 11, 13 and 14 is not novel within the meaning of PCT Article 33(2).

 Consequently, the requirements of PCT Article 33(1) are not met.
- **3.1** Claim 1
- **3.11** Claim 1 is interpreted in accordance with the third statement.
- D1 (EP-A-1 196 018, cf. figure 3 and column 15, lines 8 to 13), describes (the references between parentheses apply to said document)

an electromagnetic shielding structure comprising:

- a first transparent substrate (5);
- a conductive element (14) deposited on a transparent supporting sheet (14, PET) made of plastic;
- a transparent bonding sheet (11) made of plastic, which ensures that the conductive element (14) is attached to the substrate (5) by joining the supporting sheet (14) to the

PCT/FR2004/001429

	Box No. V		ent under Article anations support		ovelty, inventiv	e step or i	ndustrial applicability;
ľ		, ,,	 	 			

bonding sheet (11) on the side opposite the conductive element;

- a transparent covering sheet (11), which is attached to the surface of the supporting sheet (14) opposite the one to which the bonding sheet (11) is attached and on the conductive element side;
- electrical connecting means (3, electrode) intended to be connected to the conductive element (14) for grounding the latter;

which structure is characterised in that:

- on at least one of its sides, the covering sheet (11) is set back towards the inside of the structure relative to the corresponding free edge of the transparent substrate (5), thereby leaving an exposed portion on at least one of the surfaces of the conductive element;
- the connecting means (3) are brought into contact with and/or connected to said exposed portion.
- 3.12 Claim 1 is interpreted in accordance with fourth statement. D1 (EP-A-1 196 018, cf. figures 5, 6 and 7), describes (the references between parentheses apply to said document) an electromagnetic shielding structure comprising:
- a first transparent substrate (5);
- a conductive element (6) deposited on the first substrate
 (5);
- a transparent bonding sheet (4) made of plastic, which covers the conductive element (6);
- a transparent covering sheet (8), which is attached to the bonding sheet (4);
- electrical connecting means (3) intended to be connected to the conductive element (6) for grounding the latter;

which structure is characterised in that:

on at least one of its sides, the bonding sheet (4) is set back towards the inside of the structure relative to the corresponding free edge of the transparent substrate (5),

PCT/FR2004/001429

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

thereby leaving an exposed portion on at least one of the surfaces of the conductive element, the connecting means (3) being brought into contact with and/or connected to said exposed portion.

3.2 Claim 6

D1, column 15, lines 38 to 42, describes a structure wherein the conductive element is a silver-based metal layer.

3.2 Claim 7

D1, column 15, lines 7 to 12, describes a structure consisting of a grid of conductive wires made of copper.

3.3 Claim 8

D1, "17 electroconductive gasket" in figure 7, describes a structure wherein the connecting means consist of a flat conductor, such as a bus-bar or a strip of conductive foam.

3.4 Claim 10

D1, column 14, lines 45 to 52, describes a structure in which, in a frame-like arrangement, the exposed portion corresponds to the entire periphery of one of the surfaces of the conductive element.

3.5 Claim 11

D1, column 15, lines 7 to 9, describes a structure wherein the supporting sheet is made of PET, a plastic.

3.6 Claim 13

D1, figure 7, describes a structure built into a frame of which the internal portion is made of metal and against which the connecting means extend.

3.7 Claim 14

D1, "2 plasma display panel (PDP)" in figure 7, describes a structure assembled to the front surface of a plasma screen.

International application No.
PCT/FR2004/001429

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

4. In so far as it can be understood, the subject matter of claims 2 to 5, 9 and 12 does not involve an inventive step within the meaning of PCT Article 33(3). Consequently, the requirements of PCT Article 33(1) are not met.

Slight alterations to the construction of the structure described in claim 1 are defined in claims 2 to 5, 9 and 12. Said alterations are part of the standard practice of a person skilled in the art and the resulting advantages are easily foreseeable. Consequently, the subject matter of claims 2 to 5, 9 and 12 does not involve an inventive step.

5. SUGGESTION

The combination of features of claim 1, when the latter is read to cover the first two embodiments (2.21, 2.22), is not found in the prior art and cannot be derived in an obvious manner therefrom. It appears appropriate that an amended set of claims be filed defining the relevant subject matter in two independent claims, such as those drawn up in points 2.21 and 2.22 above, each followed by its respective dependent claims.

Since the third and fourth embodiments of the invention, as described and represented in figures 4a, 4b and 5, would not be covered by said amended claims, it would be advisable to adapt the description so that these embodiments, not covered by the claims, are presented as illustrative examples to aid the understanding of the invention.